

according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

sera CI Test

EAN

4001942040037 4001942048101

UFI:

2J1Q-MUDC-3EKF-VF8R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solution for monitoring water parameters in aquarium and tap water. The product is intended for consumer use. The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	sera Werke Heimtierbedarf	
	J. Ravnak GmbH & Co. KG	
Street:	Borsigstraße 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	
1.4. Emergency telephone	+49 (0)2452 91260 (Only availabl	e during office hours.)
<u>number:</u>	+49 (0)2452 9126555	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

H290

Signal word: Warning

Hazard statements

May be corrosive to metals.

Precautionary statements

P102	Keep out of reach of children.
P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 2 of 10

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Highly thinned solution of an inorganic acid. Aqueous solution of organic and inorganic salts.

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
-	hydrochloric acid 32%			
	231-595-7	017-002-01-X		
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name		
Specific Conc. Limits, M-factors and ATE				
-	231-595-7 hydrochloric acid 32%			
Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 100				

Further Information

No need for classification as corrosive in spite of the extreme pH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Subsequent observance for pneumonia and lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 3 of 10

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal. Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 Neutralize with chalk, alkali solution or ammonia.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Take off contaminated clothing. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 4 of 10

work.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

Hints on joint storage

Do not mix with alkali.

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
-	hydrochloric acid 32%		-	
Worker DNEL,	long-term	inhalation	local	8 mg/m³
Worker DNEL,	acute	inhalation	local	15 mg/m³

Additional advice on limit values

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear eye/face protection. Suitable eye protection: goggles.

Hand protection

Avoid contact with skin. Wear suitable gloves. Suitable gloves type acid-resistant Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0,2-0,3 mm Permeation time (maximum wear duration): 2 h When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 5 of 10

supplier of these gloves.

Skin protection

Wear suitable protective clothing. Not required because of small size of the container

Respiratory protection

No personal respiratory protective equipment normally required. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2-P2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen chloride (HCI), Carbon monoxide, Carbon dioxide (CO2).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch	emical properties	
Physical state:	Liquid	
Colour:	colourless - light yellow	V
Odour:	odourless	
Odour threshold:	not applicable	
Melting point/freezing point:		0°C
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		0,0-0,5
Viscosity / kinematic:		not determined
Water solubility:		completely miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		23 hPa
(at 20 °C)		
Density (at 20 °C):		1,01 g/cm³
Bulk density:		not applicable
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
No ignition, explosion, self-heating of	or visible decomposition.	
The product is not: Explosive		
Sustaining combustion:		Not sustaining combustion
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Not oxidising.		



according to Regulation (EC) No 1907/2006

	sera CI Test	
Revision date: 05.09.2023	Product code: Cl	Page 6 of 10
Other safety characteristics		

Other safety characteristics	
Evaporation rate:	not determined
Solvent separation test:	No data available
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not determined
Viscosity / dynamic:	not determined
Flow time:	not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidising agent.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

Keep away from: Base, Oxidising agent, Alkali metals, Light metals, Peroxides. May cause strong formation of hydrogen by contact with amphoteric metals (e.g. aluminia, lead, zinc) - danger of explosion.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO2). Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met. Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out. Ingestion may cause irritation to mucous membranes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 7 of 10

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice. Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Suitable material for diluting or neutralizing: Neutralize with chalk, alkali solution or ammonia. Ecological injuries are not known or expected under normal use.

CAS No Chemical na

CAS NO	Chemica name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
-	hydrochloric acid 32%						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Suitable



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 8 of 10

material for diluting or neutralizing: Neutralize with chalk, alkali solution or ammonia.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid
<u>·····································</u>	32%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid
	32%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid
	32%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Linned quantity.	51



according to Regulation (EC) No 1907/2006

sera CI Test		
Revision date: 05.09.2023	Product code: Cl	Page 9 of 10
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid 32%)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label: Special Provisions:	8 A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
<u>14.6. Special precautions for user</u> Warning: strongly corrosive. <u>14.7. Maritime transport in bulk according to</u> not applicable	o IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 75		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
To follow: 850/2004/EC, 79/117/EEC, 6	689/2008/EC	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for subs	tances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
-	the previous version in section(s): 2,5,6,7,8,9,10,11,12,13,14,15,16.	
Abbreviations and acronyms		
	des marchandises dangereuses par Route	
(European Agreement concerning the International Carriage of Dangerous Goods by Road)		
IMDG: International Maritime Code for	•	
IATA: International Air Transport Assoc		
GHS: Globally Harmonized System of G	Classification and Labelling of Chemicals	

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances



according to Regulation (EC) No 1907/2006

sera CI Test

Revision date: 05.09.2023

Product code: Cl

Page 10 of 10

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290 On	Dn basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)