

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

sera Cu Test, Reagenz 1

**EAN**

4001942040020

4001942040044

4001942047104

4001942077156

UFI:

0DS7-YDC8-PRQ8-UFW6

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

**1.3. Details of the supplier of the safety data sheet****Manufacturer**Company name: sera Werke Heimtierbedarf  
J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

e-mail: info@sera.de

Contact person: Dr. Matthias Dahm

e-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

**Supplier**

Company name: sera GmbH

Street: Borsigstr. 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

e-mail: info@sera.de

Contact person: Dr. Matthias Dahm

e-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

**1.4. Emergency telephone number:**

+49 (0)2452 91260 (Only available during office hours.)

+49 (0)2452 9126555

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 2; H225

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 2 of 10

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.

**Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P501 Dispose of contents/container to household waste.

**Additional advice on labelling**

The product is classified and labelled according to EC directives or corresponding national laws.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

alcoholic solution

**Hazardous components**

none (according to UK REACH Regulation)

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated, saturated clothing immediately.

**After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No known symptoms to date.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 3 of 10

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air. In case of fire and/or explosion do not breathe fumes. In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**For non-emergency personnel**

First aider: Pay attention to self-protection! Remove persons to safety.

**For emergency responders**

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

**6.3. Methods and material for containment and cleaning up****For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

**For cleaning up**

Take precautionary measures against static discharges.  
Large amounts of spillages: Use approved industrial vacuum cleaner for removal.  
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).  
Clear contaminated areas thoroughly. Wash with plenty of water.

**Other information**

Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 4 of 10

**Advice on safe handling**

Do not breathe vapour. Keep out of reach of children.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.

Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

**Further information on handling**

Handle and open container with care. Put lids on containers immediately after use.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from direct sunlight.

Recommended storage temperature: at room temperature

**Hints on joint storage**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances. Keep away from combustible material.

**Further information on storage conditions**

The product is stable under storage at normal ambient temperatures.

**7.3. Specific end use(s)**

Solution for monitoring water parameters in aquarium and tap water.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

**Additional advice on limit values**

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

**8.2. Exposure controls****Appropriate engineering controls**

No special technical protective measures are necessary.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Avoid contact with eyes. Wear eye/face protection. Suitable eye protection: goggles.

**Hand protection**

Avoid contact with skin. Wear suitable gloves.

Suitable gloves type: solvent-resistant

Suitable material: CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: 0,65 mm

Permeation time (maximum wear duration): 8 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the

## sera Cu Test, Reagenz 1

Revision date: 05.09.2023

Product code: Cu-R1

Page 5 of 10

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Not required because of small size of the container

### Respiratory protection

No personal respiratory protective equipment normally required. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model A (according to DIN 3181, 1980).

### Thermal hazards

Thermal decomposition can lead to the escape of irritating gases and vapours.  
Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide (CO2).

### Environmental exposure controls

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	alcoholic
Odour threshold:	18 ppm
Melting point/freezing point:	< 0 °C
Boiling point or initial boiling point and boiling range:	78 °C
Flammability:	not applicable highly flammable
Lower explosion limits:	3,5 vol. %
Upper explosion limits:	15 vol. %
Flash point:	12 °C
Auto-ignition temperature:	400 °C
Decomposition temperature:	not determined
pH-Value:	not applicable
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	58 hPa
(at 20 °C)	
Vapour pressure:	293 hPa
(at 50 °C)	
Density:	0,81 g/cm <sup>3</sup>
Bulk density:	not applicable
Relative vapour density:	not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

Vapours can form explosive mixtures with air.

##### Sustaining combustion:

No data available

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 6 of 10

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

**Other safety characteristics**

Evaporation rate:

not determined

Solvent separation test:

No data available

Solvent content:

95,76 %

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Flammable, Ignition hazard.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Vapours can form explosive mixtures with air.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

**10.5. Incompatible materials**

Oxidising agent, Alkali metals, Light metals

**10.6. Hazardous decomposition products**Sulphur oxides, Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

Thermal decomposition can lead to the escape of irritating gases and vapours.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicocinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 7 of 10

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

Inhalation, Skin contact, Eye contact, Ingestion

**Specific effects in experiment on an animal**

Substance caused a mild irritation of eyes and skin in animal experiments.

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

**Other information**

There are no data available on the preparation/mixture itself.

**Further information**

Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

**SECTION 12: Ecological information****12.1. Toxicity**

There are no data available on the preparation/mixture itself. Ecological injuries are not known or expected under normal use.

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

# Safety Data Sheet

according to UK REACH Regulation

## sera Cu Test, Reagenz 1

Revision date: 05.09.2023

Product code: Cu-R1

Page 8 of 10

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

### List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Wash with plenty of water. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3  
Classification code: F1  
Special Provisions: 144 601  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 30  
Tunnel restriction code: D/E

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3  
Classification code: F1  
Special Provisions: 144 601  
Limited quantity: 5 L  
Excepted quantity: E1

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3  
Special Provisions: 144, 223  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-D

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)



## Safety Data Sheet

according to UK REACH Regulation

### sera Cu Test, Reagenz 1

Revision date: 05.09.2023

Product code: Cu-R1

Page 9 of 10

<b>14.3. Transport hazard class(es):</b>	3	
<b>14.4. Packing group:</b>	III	
Hazard label:	3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:		355
IATA-max. quantity - Passenger:		60 L
IATA-packing instructions - Cargo:		366
IATA-max. quantity - Cargo:		220 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 95,76 % (775,656 g/l)

2004/42/EC (VOC): 96 % (777,6 g/l)

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

##### Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 1**

Revision date: 05.09.2023

Product code: Cu-R1

Page 10 of 10

**Key literature references and sources for data**

Safety Data Sheet, ECHA

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data

**Relevant H and EUH statements (number and full text)**

H225 Highly flammable liquid and vapour.

**Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 2**

Revision date: 05.09.2023

Product code: Cu-R2

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

sera Cu Test, Reagenz 2

**EAN**

4001942040020

4001942040044

4001942047104

4001942077156

UFI:

YPT9-76C2-FYF4-KJ0N

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

**1.3. Details of the supplier of the safety data sheet****Manufacturer**Company name: sera Werke Heimtierbedarf  
J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

e-mail: info@sera.de

Contact person: Dr. Matthias Dahm

e-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

**Supplier**

Company name: sera GmbH

Street: Borsigstr. 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260

Telefax: +49 (0)2452 5922

e-mail: info@sera.de

Contact person: Dr. Matthias Dahm

e-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

**1.4. Emergency telephone number:**

+49 (0)2452 91260 (Only available during office hours.)

+49 (0)2452 9126555

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Eye Irrit. 2; H319

## sera Cu Test, Reagenz 2

Revision date: 05.09.2023

Product code: Cu-R2

Page 2 of 10

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

Signal word:

Warning

Pictograms:



#### Hazard statements

H319

Causes serious eye irritation.

#### Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P280

Wear protective gloves and eye/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

#### Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Aqueous solution of organic and inorganic salts.

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
12125-02-9	ammonium chloride			20 - < 25 %
	235-186-4	017-014-00-8	01-2119487950-27	
	Acute Tox. 4, Eye Irrit. 2; H302 H319			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
12125-02-9	235-186-4	ammonium chloride	20 - < 25 %
	oral: LD50 = 1440 mg/kg		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air. After inhaling vapours, first symptoms of poisoning may develop hours later, so always

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 2**

Revision date: 05.09.2023

Product code: Cu-R2

Page 3 of 10

consult a doctor.

**After contact with skin**

Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Subsequent observance for pneumonia and lung oedema.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. The product itself does not burn. In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**For non-emergency personnel**

First aider: Pay attention to self-protection! Remove persons to safety.

**For emergency responders**

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up****For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

**For cleaning up**

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.  
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 2**

Revision date: 05.09.2023

Product code: Cu-R2

Page 4 of 10

Clear contaminated areas thoroughly. Wash with plenty of water.

**Other information**

Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Do not breathe vapour. Keep out of reach of children.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.

Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

**Further information on handling**

Handle and open container with care. Put lids on containers immediately after use.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.

Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

**Hints on joint storage**

Do not store near acids.

**Further information on storage conditions**

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

**7.3. Specific end use(s)**

Solution for monitoring water parameters in aquarium and tap water.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
12125-02-9	Ammonium chloride, fume	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

**Additional advice on limit values**

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

**8.2. Exposure controls****Appropriate engineering controls**

No special technical protective measures are necessary.

**Individual protection measures, such as personal protective equipment**

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 2**

Revision date: 05.09.2023

Product code: Cu-R2

Page 5 of 10

**Eye/face protection**

Avoid contact with eyes. Wear eye/face protection. Suitable eye protection: goggles.

**Hand protection**

Avoid contact with skin. Wear suitable gloves.

Suitable gloves type: alkali-resistant

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): > 2 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing. Not required because of small size of the container

**Respiratory protection**

No personal respiratory protective equipment normally required. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2 (according to DIN 3181, 1980).

**Thermal hazards**

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**Environmental exposure controls**

Avoid release to the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	amine-like
Odour threshold:	not determined
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	8,2-8,5
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	23 hPa
(at 20 °C)	
Vapour pressure:	not determined
Density:	1,13 g/cm <sup>3</sup>

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 2**

Revision date: 05.09.2023

Product code: Cu-R2

Page 6 of 10

Bulk density:	not applicable
Relative vapour density:	not determined
Particle characteristics:	not applicable

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

No data available

**Sustaining combustion:**

Not sustaining combustion

**Self-ignition temperature**

Solid:

not applicable

Gas:

not applicable

**Oxidizing properties**

Not oxidising.

**Other safety characteristics****Evaporation rate:**

not determined

**Solvent separation test:**

No data available

**Solvent content:**

not determined

**Solid content:**

not determined

**Sublimation point:**

not applicable

**Softening point:**

not applicable

**Pour point:**

not determined

**Viscosity / dynamic:**

not determined

**Flow time:**

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Acid

**10.4. Conditions to avoid**

Protect from direct sunlight.

**10.5. Incompatible materials**

Keep away from: Acid

**10.6. Hazardous decomposition products**Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

Thermal decomposition can lead to the escape of irritating gases and vapours.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 7050,0 mg/kg



# Safety Data Sheet

according to UK REACH Regulation

## sera Cu Test, Reagenz 2

Revision date: 05.09.2023

Product code: Cu-R2

Page 7 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
12125-02-9	ammonium chloride				
	oral	LD50 mg/kg	1440	Rat	

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### Practical experience

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

### Other information

There are no data available on the preparation/mixture itself.

### Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

There are no data available on the preparation/mixture itself. Ecological injuries are not known or expected under normal use.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
12125-02-9	ammonium chloride					
	Acute fish toxicity	LC50	209 mg/l	96 h	Cyprinus carpio	IUCLID
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	

### 12.2. Persistence and degradability

The product has not been tested.

## Safety Data Sheet

according to UK REACH Regulation

### sera Cu Test, Reagenz 2

Revision date: 05.09.2023

Product code: Cu-R2

Page 8 of 10

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
12125-02-9	ammonium chloride	-4,37

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

##### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

##### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

# Safety Data Sheet

according to UK REACH Regulation

## sera Cu Test, Reagenz 2

Revision date: 05.09.2023

Product code: Cu-R2

Page 9 of 10

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 65, Entry 75

2004/42/EC (VOC): 10 % (113 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,4,7,8,11.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Key literature references and sources for data

Safety Data Sheet, ECHA

**Safety Data Sheet**

according to UK REACH Regulation

**sera Cu Test, Reagenz 2**

Revision date: 05.09.2023

Product code: Cu-R2

Page 10 of 10

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H319	Causes serious eye irritation.

**Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*