

according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

sera NH4 Test, Reagenz 1

EAN

4001942040020

4001942040037

4001942040044

4001942049108

4001942077156

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: sera Werke Heimtierbedarf

J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49
Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

e-mail: info@sera.de
Contact person: Dr. Matthias Dahm
e-mail: sds.info@sera.biz
Internet: www.sera.de

Responsible Department: Labor

Supplier

Company name: sera GmbH
Street: Borsigstr. 49
Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

e-mail: info@sera.de
Contact person: Dr. Matthias Dahm
e-mail: sds.info@sera.biz
Internet: www.sera.de

Responsible Department: Labor

1.4. Emergency telephone +49 (0)2452 91260 (Only available during office hours.)

<u>number:</u> +49 (0)2452 9126555

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No.



according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 2 of 8

1907/2006 (REACH).

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aqueous solution of organic and inorganic salts.

Hazardous components

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 3 of 8

Additional information

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature.

Hints on joint storage

No materials to be specially mentioned

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)



according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 4 of 8

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist. When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Hand protection is not required..

Skin protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless
Odour threshold: not applicable

Melting point/freezing point: 0 °C
Boiling point or initial boiling point and 100 °C

boiling range:

Flammability: not applicable not determined Lower explosion limits: Upper explosion limits: not determined Flash point: > 100 °C Auto-ignition temperature: Non-flammable. Decomposition temperature: not determined pH-Value (at 20 °C): 8.0-9.0 Viscosity / kinematic: not determined Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,36 g/cm³



according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 5 of 8

Bulk density: not applicable Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: not determined Solid content: not determined Sublimation point: not applicable not applicable Softening point: Pour point: not determined Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

strong acids

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2).

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 6 of 8

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation/mixture itself. According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment". Ecological injuries are not known or expected under normal use.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 7 of 8

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

161002 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; aqueous liquid wastes destined for off-site

treatment; agueous liquid wastes other than those mentioned in 16 10 01

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16

05 08

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 60,6 % (824,16 g/l)



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 1

Revision date: 06.09.2023 Product code: NH4-R1 Page 8 of 8

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

sera NH4 Test, Reagenz 2

EAN

4001942040020

4001942040037

4001942040044

4001942049108

4001942077156

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: sera Werke Heimtierbedarf

J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49 Place: D-52525 Heinsberg

Post-office box:

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

e-mail: info@sera.de Contact person: Dr. Matthias Dahm e-mail: sds.info@sera.biz www.sera.de Internet:

Responsible Department: Labor

Supplier

Company name: sera GmbH Street: Borsigstr. 49 Place: D-52525 Heinsberg

Post-office box:

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

e-mail: info@sera.de Contact person: Dr. Matthias Dahm e-mail: sds.info@sera.biz Internet: www.sera.de

Responsible Department: 1.4. Emergency telephone +49 (0)2452 91260 (Only available during office hours.)

Labor

+49 (0)2452 9126555 number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 2 of 10

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Non-aqueous solution of inorganic and organic substances.

Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (GB CLP Regulation)					
13755-38-9	Sodium nitroferricyanide(III) dihydrate			< 2 %		
	238-373-9					
	Acute Tox. 3; H301	Acute Tox. 3; H301				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
13755-38-9	238-373-9 Sodium nitroferricyanide(III) dihydrate			
	oral: LD50 = 99 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

After contact with skin

Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 3 of 10

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. In case of fire and/or explosion do not breathe fumes. In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 4 of 10

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature.

Hints on joint storage

No materials to be specially mentioned

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
57-55-6	propyleneglycol					
Worker DNEL,	long-term	inhalation	systemic	168 mg/m³		
Worker DNEL,	long-term	inhalation	local	10 mg/m³		
Consumer DNE	EL, long-term	inhalation	systemic	50 mg/m³		
Consumer DNE	EL, long-term	inhalation	local	10 mg/m³		
Consumer DNE	Consumer DNEL, long-term		systemic	213 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	85 mg/kg bw/day		
,						



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 5 of 10

PNEC values

CAS No	Substance			
Environmental compartment Value				
57-55-6 propyleneglycol				
Freshwater	260 mg/l			
Marine wate	26 mg/l			
Freshwater	572 mg/kg			
Marine sedir	57,2 mg/kg			
Micro-organ	20000 mg/l			
Soil	50 mg/kg			

Additional advice on limit values

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Suitable eye protection: goggles, not required under normal use.

Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable material: NBR (Nitrile rubber)
Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): 8 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Not required because of small size of the container

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model A2B2E2K2-P3 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide, Carbon dioxide (CO2).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: red brown
Odour: phenolic
Odour threshold: 5 ppb



according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 6 of 10

Melting point/freezing point: < -50 °C
Boiling point or initial boiling point and > 78 °C

boiling range:

Flammability: not applicable Lower explosion limits: 2,6 vol. % 17.4 vol. % Upper explosion limits: No data available Flash point: Auto-ignition temperature: 371 °C Decomposition temperature: not determined pH-Value: not applicable Viscosity / kinematic: not determined Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

0,98 g/cm³

Bulk density:

not applicable

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: 97,76 % Solid content: 2,24 % Sublimation point: not applicable Softening point: No data available Pour point: not determined Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Vapours can form explosive mixtures with air.

10.4. Conditions to avoid

Direct heating, dirt, chemical contamination, sunlight, UV or ionizing radiation



according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 7 of 10

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide, Carbon dioxide (CO2). Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 4437,9 mg/kg; ATE (dermal) 32608,7 mg/kg; ATE (inhalation vapour) 326,09 mg/l; ATE (inhalation dust/mist) 54,348 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
13755-38-9	Sodium nitroferricyanide(III) dihydrate							
	oral	LD50	99 mg/kg	Rat	RTECS			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 8 of 10

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation/mixture itself. According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment". Ecological injuries are not known or expected under normal use.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 9 of 10

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2010/75/EU (VOC): 98,68 % (967,064 g/l) 2004/42/EC (VOC): 98,68 % (967,064 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 2

Revision date: 06.09.2023 Product code: NH4-R2 Page 10 of 10

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Relevant H and EUH statements (number and full text)

H301

Toxic if swallowed.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

sera NH4 Test, Reagenz 3

EAN

4001942040020

4001942040037

4001942040044

4001942049108

4001942077156

UFI: 2A6C-G8QP-MKSX-TYQD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: sera Werke Heimtierbedarf

J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49
Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

e-mail: info@sera.de
Contact person: Dr. Matthias Dahm
e-mail: sds.info@sera.biz
Internet: www.sera.de

Responsible Department: Labor

Supplier

Company name: sera GmbH Street: Borsigstr. 49

Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

e-mail: info@sera.de
Contact person: Dr. Matthias Dahm
e-mail: sds.info@sera.biz
Internet: www.sera.de
Responsible Department: Labor

1.4. Emergency telephone +49 (0)2452 91260 (Only available during office hours.)

number: +49 (0)2452 9126555

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1A; H314



according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 2 of 12

Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

sodium hypochlorite, solution 14% CI active

sodium hydroxide; caustic soda **Signal word:**Danger

Pictograms:





Hazard statements

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases

(chlorine).

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Product/Substance is inorganic. Aqueous solution of alkali salts.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 3 of 12

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)	•		
7681-52-9	sodium hypochlorite, solution 14%	CI active		10 - < 15 %	
	231-668-3	017-011-00-1			
	Met. Corr. 1, Skin Corr. 1B, Eye Da H400 H410 EUH031	am. 1, Aquatic Acute 1, Aquatic Chro	nic 1; H290 H314 H318		
497-19-8	sodium carbonate		10 - < 15 %		
	207-838-8	011-005-00-2	01-2119485498-19		
	Eye Irrit. 2; H319				
1310-73-2	sodium hydroxide; caustic soda		5 - < 10 %		
	215-185-5	011-002-00-6	01-2119457892-27		
	Met. Corr. 1, Skin Corr. 1A; H290 H314				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Specific Conc. Limits, M-factors and ATE				
7681-52-9	231-668-3	sodium hypochlorite, solution 14% Cl active	10 - < 15 %			
		dermal: LD50 = > 20000 mg/kg; oral: LD50 = > 8200 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: >= 5 - 100				
497-19-8	207-838-8	sodium carbonate	10 - < 15 %			
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 2800 mg/kg				
1310-73-2	215-185-5	sodium hydroxide; caustic soda	5 - < 10 %			
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2					

Further Information

Strong alkali

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

Skin corrosion/irritation



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 4 of 12

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

Subsequent observance for pneumonia and lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Chlorine (Cl2), Hydrogen chloride (HCl), Carbon dioxide (CO2), Carbon monoxide. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire fighting water forms corrosive alkaline solutions - slip hazard!

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised. Suitable material for diluting or neutralizing: Water

6.3. Methods and material for containment and cleaning up

For containment

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8



according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 5 of 12

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe vapour. Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

Further information on handling

Open drum carefully as content may be under pressure. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Keep/Store only in original container. Ensure adequate ventilation of the storage area. Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

Hints on joint storage

Do not store near acids.

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
7681-52-9	sodium hypochlorite, solution 14% Cl active						
Worker DNEL,	long-term	dermal	local	0,50 %			
Worker DNEL,	long-term	inhalation	local	1,55 mg/m³			
Worker DNEL,	long-term	inhalation	systemic	1,55 mg/m³			
Worker DNEL,	acute	inhalation	local	3,1 mg/m³			
Worker DNEL,	acute	inhalation	systemic	3,1 mg/m³			
497-19-8 sodium carbonate							
Worker DNEL,	long-term	inhalation	local	10 mg/m³			



according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 6 of 12

PNEC values

CAS No	Substance			
Environmental compartment Value				
7681-52-9	2-9 sodium hypochlorite, solution 14% Cl active			
Freshwater	0,00021 mg/l			
Marine water		0,000042 mg/l		
Secondary poisoning		11,1 mg/kg		
Micro-organisms in sewage treatment plants (STP)				

Additional advice on limit values

To date, no national critical limit values exist. When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear eye/face protection. Suitable eye protection: goggles.

Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable gloves type: alkali-resistant
Suitable material: NBR (Nitrile rubber)
Thickness of the glove material: 0,2-0,3 mm
Permeation time (maximum wear duration): > 8 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Not required because of small size of the container

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Chlorine (Cl2), Hydrogen chloride (HCl), Carbon dioxide (CO2), Carbon monoxide.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: like: Chlorine
Odour threshold: 0,3 ppm

Melting point/freezing point: < 0 °C
Boiling point or initial boiling point and > 60 °C

boiling range:



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 7 of 12

not applicable Flammability: Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 100 °C Auto-ignition temperature: Non-flammable. Decomposition temperature: not determined pH-Value (at 20 °C): 13.5-14.5 Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: Not applicable for inorganic substances. Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,13 g/cm³
Bulk density: not applicable
Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: not determined Solid content: not determined Sublimation point: not applicable Softening point: not applicable Pour point: not determined Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent. The product develops hydrogen in an aqueous solution in contact with metals. Contact with acids liberates toxic gas.

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect from direct sunlight.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 8 of 12

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides. Alkali metals, Light metals, Ammonium salts May develop chlorine if mixed with acidic solutions.

10.6. Hazardous decomposition products

Chlorine, Hydrogen chloride (HCI), Carbon monoxide, Carbon dioxide (CO2). Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7681-52-9	sodium hypochlorite, solu	ıtion 14% Cl a	active					
	oral	LD50 mg/kg	> 8200	Rat	IUCLID			
	dermal	LD50 mg/kg	> 20000	Rabbit	SDB	OECD 402		
497-19-8	sodium carbonate							
	oral	LD50 mg/kg	2800	Rat	ECHA	OECD-SIDS		
	dermal		> 2000	Rabbit	ECHA	EPA 16 CFR 1500.40		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Inhalation, Ingestion

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 9 of 12

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation/mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7681-52-9	sodium hypochlorite, solution 14% CI active							
	Acute fish toxicity	LC50 mg/l	0,08	96 h	Pimephales promelas (fathead minnow)	ECOTOX		
	Acute algae toxicity	ErC50 mg/l	0,036	72 h	Pseudokirchneriella subcapitata		OECD 201	
	Acute crustacea toxicity	EC50 mg/l	0,04		Daphnia magna (Big water flea)	ЕСОТОХ		
	Acute bacteria toxicity	(EC50 mg/l)	77,1	3 h	Activated sludge		OECD 209	
497-19-8	sodium carbonate							
	Acute fish toxicity	LC50	300 mg/l	96 h	Lepomis macrochirus (Bluegill)	ECHA		
	Acute crustacea toxicity	EC50 mg/l	200-227	48 h	Ceriodaphnia spec	ECHA		

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

The study does not need to be conducted because the substance is inorganic.

12.4. Mobility in soil

The study does not need to be conducted because the substance is inorganic.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 10 of 12

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% CI

active; sodium hydroxide; caustic soda)

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 Classification code: C.5 **Special Provisions:** 274 Limited quantity: 5 L Excepted quantity: F1 Transport category: 3 80 Hazard No: Tunnel restriction code: F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% CI

active; sodium hydroxide; caustic soda)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C5Special Provisions:274Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% CI

active; sodium hydroxide; caustic soda)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 11 of 12

Special Provisions: 223 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: 18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution 14% CI

active; sodium hydroxide; caustic soda)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803

Limited quantity Passenger:

Passenger LQ:

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: sodium hypochlorite, solution 14% Cl active

sodium hydroxide; caustic soda

14.6. Special precautions for user

Warning: strongly corrosive. Safe handling: see section 7

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,6,7,8,9,10,12,14,15.



Safety Data Sheet

according to UK REACH Regulation

sera NH4 Test, Reagenz 3

Revision date: 05.09.2023 Product code: NH4-R3 Page 12 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

R

e Dam. 1; H318	Calculation method						
uatic Acute 1; H400	Calculation method						
uatic Chronic 2; H411	Calculation method						
Relevant H and EUH statements (number and full text)							
H290 May be	y be corrosive to metals.						
H314 Causes	s severe skin burns and eye damage.						

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. Contact with acids liberates toxic gas. **EUH031**

EUH206 Warning! Do not use together with other products. May release dangerous gases

(chlorine).

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)