

**Safety Data Sheet**

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera NO3 Test, Reagenz 1

EAN

4001942040020
4001942040037
4001942040044
4001942045100
4001942045124
4001942077156

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name:	sera Werke Heimtierbedarf	
	J. Ravnak GmbH & Co. KG	
Street:	Borsigstraße 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

Supplier

Company name:	sera GmbH	
Street:	Borsigstr. 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

1.4. Emergency telephone number:

+49 (0)2452 91260 (Only available during office hours.)
+49 (0)2452 9126555

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 2 of 11

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Product/Substance is inorganic. Highly thinned solution of an inorganic acid. Aqueous solution of alkali salts.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7664-38-2	phosphoric acid; orthophosphoric acid 85%			1 - < 5 %
	231-633-2	015-011-00-6		
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7664-38-2	231-633-2	phosphoric acid; orthophosphoric acid 85%	1 - < 5 %
		inhalation: LC50 = 3846 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 300-2000 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 3 of 11

5.1. Extinguishing media**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Nitrogen oxides (NO_x), Sulphur oxides, Hydrogen chloride (HCl), Phosphorus compounds. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).
Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 Neutralise with NaHCO₃.**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 4 of 11

smoke when using this product. Wash hands before breaks and after work.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

Hints on joint storage

Do not mix with alkali.

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7664-38-2	phosphoric acid; orthophosphoric acid 85%			
Worker DNEL, long-term	inhalation	systemic	10,7 mg/m ³	
Worker DNEL, long-term	inhalation	local	1 mg/m ³	
Worker DNEL, acute	inhalation	local	2 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	4,57 mg/m ³	
Consumer DNEL, long-term	inhalation	local	0,36 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,1 mg/kg bw/day	

Additional advice on limit values

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable gloves type: acid-resistant

Suitable material: NBR (Nitrile rubber)

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 5 of 11

Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): > 48 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Body protection: Not required because of small size of the container

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2-P2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride (HCl), Phosphorus compounds.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Odour threshold:	not applicable
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	Non-flammable.
Decomposition temperature:	not determined
pH-Value (at 20 °C):	2,3-2,7
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	23 hPa
(at 20 °C)	
Density (at 20 °C):	1,23 g/cm³
Bulk density:	not applicable
Relative vapour density:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustaining combustion:

Not sustaining combustion

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 6 of 11

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

No data available

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

Keep away from: Base, Oxidising agent, Alkali metals, Light metals, Peroxides.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride (HCl), Phosphorus compounds.

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 29603,3 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid 85%				
	oral	LD50 > 300-2000 mg/kg	Rat	ECHA	OECD 423
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA	
	inhalation (1 h) vapour	LC50 3846 mg/l	Rat	ECHA	OECD 403

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 7 of 11

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out. Ingestion may cause irritation to mucous membranes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards**Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information**12.1. Toxicity**

The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

Suitable material for diluting or neutralizing: Neutralise with chalk, alkali solution or ammonia. After neutralisation, toxicity is no longer observed. Ecological injuries are not known or expected under normal use.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid 85%					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	ECHA OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	ECHA OECD 202
	Algae toxicity	NOEC	100 mg/l	3 d	Desmodesmus subspicatus	ECHA
	Crustacea toxicity	NOEC	56 mg/l	2 d	Daphnia magna (Big water flea)	ECHA
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	ECHA OECD 209

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

The study does not need to be conducted because the substance is inorganic.

12.4. Mobility in soil

The study does not need to be conducted because the substance is inorganic.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Suitable material for diluting or neutralizing: Neutralise with chalk, alkali solution or ammonia.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 9 of 11

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 10 of 11

IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2.

Abbreviations and acronymsADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our

**Safety Data Sheet**

according to UK REACH Regulation

sera NO3 Test, Reagenz 1

Revision date: 06.09.2023

Product code: NO3-R1-Test

Page 11 of 11

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

**Safety Data Sheet**

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera NO3 Test, Reagenz 2

EAN

4001942040020
4001942040037
4001942040044
4001942045100
4001942045124
4001942077156

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name:	sera Werke Heimtierbedarf	
	J. Ravnak GmbH & Co. KG	
Street:	Borsigstraße 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

Supplier

Company name:	sera GmbH	
Street:	Borsigstr. 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

1.4. Emergency telephone number:

+49 (0)2452 91260 (Only available during office hours.)
+49 (0)2452 9126555

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 2 of 11

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Highly thinned solution of an inorganic acid. Aqueous solution of organic and inorganic salts.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7664-38-2	phosphoric acid; orthophosphoric acid 85%			1 - < 5 %
	231-633-2	015-011-00-6		
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7664-38-2	231-633-2	phosphoric acid; orthophosphoric acid 85%	1 - < 5 %
		inhalation: LC50 = 3846 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 300-2000 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 3 of 11

5.1. Extinguishing media**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Nitrogen oxides (NO_x), Sulphur oxides, Hydrogen chloride (HCl), Phosphorus compounds, Carbon monoxide, Carbon dioxide (CO₂).
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. .

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).
Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 Neutralise with NaHCO₃**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 4 of 11

smoke when using this product. Wash hands before breaks and after work.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. Protect from direct sunlight.

Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

Hints on joint storage

Do not mix with alkali.

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7664-38-2	phosphoric acid; orthophosphoric acid 85%			
Worker DNEL, long-term	inhalation	systemic	10,7 mg/m ³	
Worker DNEL, long-term	inhalation	local	1 mg/m ³	
Worker DNEL, acute	inhalation	local	2 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	4,57 mg/m ³	
Consumer DNEL, long-term	inhalation	local	0,36 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,1 mg/kg bw/day	

Additional advice on limit values

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable gloves type: acid-resistant

Suitable material: NBR (Nitrile rubber)

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 5 of 11

Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): > 48 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Body protection: Not required because of small size of the container

Respiratory protection

Usually no personal respiratory protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2-P2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride (HCl), Phosphorus compounds, Carbon monoxide, Carbon dioxide (CO₂).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Odour threshold:	not applicable
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	2,3-2,7
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	23 hPa
(at 20 °C)	
Density (at 20 °C):	1,08 g/cm ³
Bulk density:	not applicable
Relative vapour density:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 6 of 11

Sustaining combustion:	Not sustaining combustion
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
Not oxidising.	

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	No data available
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not determined
Viscosity / dynamic:	not determined
Flow time:	not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

Keep away from: Base, Oxidising agent, Alkali metals, Light metals, Peroxides.

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x), Sulphur oxides, Hydrogen chloride (HCl), Phosphorus compounds, Carbon monoxide, Carbon dioxide (CO₂).

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 11841,3 mg/kg

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid 85%				
	oral	LD50 > 300-2000 mg/kg	Rat	ECHA	OECD 423
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA	
	inhalation (1 h) vapour	LC50 3846 mg/l	Rat	ECHA	OECD 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out. Ingestion may cause irritation to mucous membranes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

Suitable material for diluting or neutralizing: Neutralise with chalk, alkali solution or ammonia. After neutralisation, toxicity is no longer observed. Ecological injuries are not known or expected under normal use.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid 85%					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	
	Acute algae toxicity	ErC50	> 100 mg/l	72 h	Desmodesmus subspicatus	ECHA OECD 201
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna (Big water flea)	ECHA OECD 202
	Algae toxicity	NOEC	100 mg/l	3 d	Desmodesmus subspicatus	ECHA
	Crustacea toxicity	NOEC	56 mg/l	2 d	Daphnia magna (Big water flea)	ECHA
	Acute bacteria toxicity	(EC50	> 1000 mg/l)	3 h	Activated sludge	ECHA OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Suitable material for diluting or neutralizing: Neutralise with chalk, alkali solution or ammonia.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 9 of 11

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid; orthophosphoric acid 85%)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 10 of 11

IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
---	--

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Water hazard class (D):	1 - slightly hazardous to water
-------------------------	---------------------------------

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be

**Safety Data Sheet**

according to UK REACH Regulation

sera NO3 Test, Reagenz 2

Revision date: 06.09.2023

Product code: NO3-R2-Test

Page 11 of 11

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

**Safety Data Sheet**

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera NO3 Test, Reagenz 3

EAN

4001942040020
4001942040037
4001942040044
4001942045100
4001942045124
4001942077156

Substance name: zinc powder - zinc dust (stabilised)
Product group: Zulieferprodukt
CAS No: 7440-66-6
Index No: 030-001-01-9
EC No: 231-175-3

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solid for monitoring water parameters in aquarium and tap water.
The product is intended for consumer use.
The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name: sera Werke Heimtierbedarf
J. Ravnak GmbH & Co. KG
Street: Borsigstraße 49
Place: D-52525 Heinsberg
Post-office box: 1466
D-52518 Heinsberg
Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922
e-mail: info@sera.de
Contact person: Dr. Matthias Dahm
e-mail: sds.info@sera.biz
Internet: www.sera.de
Responsible Department: Labor

Supplier

Company name: sera GmbH
Street: Borsigstr. 49
Place: D-52525 Heinsberg
Post-office box: 1466
D-52518 Heinsberg
Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922
e-mail: info@sera.de
Contact person: Dr. Matthias Dahm
e-mail: sds.info@sera.biz
Internet: www.sera.de
Responsible Department: Labor

1.4. Emergency telephone number:

+49 (0)2452 91260 (Only available during office hours.)
+49 (0)2452 9126555

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 2 of 11

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Acute 1; H400

Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Warning

Pictograms:



Hazard statements

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273

Avoid release to the environment.

P391

Collect spillage.

P501

Dispose of contents/container to household waste.

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws. Labelling according to Regulation (EC) No. 1272/2008 [CLP] (An. I, 1.5.2)

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

Powdered metals

Sum formula:

Zn

Molecular weight:

65,39

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7440-66-6	zinc powder - zinc dust (stabilised)			100 %
	231-175-3	030-001-01-9	01-2119467174-37-XXXX	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7440-66-6	231-175-3	zinc powder - zinc dust (stabilised)	100 %
	inhalation: LC50 = > 5,41 mg/l (dusts or mists); oral: LD50 = > 2000 mg/kg		

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 3 of 11

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off contaminated clothing. Brush off contaminated clothing.

After inhalation

Provide fresh air. If symptoms persist, call a physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Fever, Circulatory collapse, Irritation to respiratory tract.

After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Dry extinguishing powder, Dry sand, special powder against metal fire. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Carbon dioxide (CO₂), Water

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Metal oxide smoke, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**For containment**

Take up mechanically, placing in appropriate containers for disposal.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 4 of 11

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.

Small amounts of spillages: Take up mechanically.

Clear contaminated areas thoroughly. Clean contaminated articles and floor according to the environmental legislation.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep out of reach of children. Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

Advice on general occupational hygiene

Take off contaminated clothing. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Further information on handling

Handle and open container with care. Avoid dust formation. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep container dry. Keep/Store only in original container. Moisture-sensitive.

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from direct sunlight.

Recommended storage temperature: at room temperature.

Hints on joint storage

Do not store near acids. Do not mix with alkali.

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solid for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 5 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7440-66-6	zinc powder - zinc dust (stabilised)			
Worker DNEL, long-term		inhalation	systemic	5 mg/m³
Worker DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,5 mg/m³
Consumer DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,83 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmental compartment	Value		
7440-66-6	zinc powder - zinc dust (stabilised)		
Freshwater	0,021 mg/l		
Marine water	0,0061 mg/l		
Freshwater sediment	118 mg/kg		
Marine sediment	56,5 mg/kg		
Micro-organisms in sewage treatment plants (STP)	0,052 mg/l		

Additional advice on limit values

When using do not eat, drink, smoke, sniff.

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Recommendation: Wear suitable gloves.

Suitable material: rubber gloves.

Thickness of the glove material: > 0,5 mm

Permeation time (maximum wear duration): > 480 min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of dust or aerosol formation use respirator with filter model P2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. In case of fire may be liberated: Metal oxide smoke, toxic.

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 6 of 11

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	grey
Odour:	odourless
Odour threshold:	not determined
Melting point/freezing point:	419,5 °C
Boiling point or initial boiling point and boiling range:	907 °C
Flammability:	does not flash
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not applicable
Viscosity / kinematic:	not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	0 hPa
(at 20 °C)	
Density (at 20 °C):	7,133 g/cm³
Bulk density:	2-4 kg/m³
Relative vapour density:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Dust can form an explosive mixture with air.

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

not determined

Gas:

not applicable

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	No data available
Solvent content:	0 %
Solid content:	100,00 %
Sublimation point:	No data available
Softening point:	not applicable
Pour point:	not applicable
Viscosity / dynamic:	not determined
Flow time:	not determined

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 7 of 11

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Product may release hydrogen gas. Increased storage temperatures will accelerate this process.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Moisture-sensitive. Protect from direct sunlight.

10.5. Incompatible materials

Oxidising agent, Air, humid, Acid, alkali

10.6. Hazardous decomposition products

Formation of explosive mixtures with: Acid, alkali.

Thermal decomposition can lead to the escape of irritating gases and vapours. (Metal oxide smoke, toxic)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7440-66-6	zinc powder - zinc dust (stabilised)				
	oral	LD50 > 2000 mg/kg	Rat	ECHA	OECD 401
	inhalation (4 h) dust/mist	LC50 > 5,41 mg/l	Rat	ECHA	OECD 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

No data available.

Additional information on tests

Labelling according to Regulation (EC) No. 1272/2008 [CLP].

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 8 of 11

Practical experience

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Labelling according to Regulation (EC) No. 1272/2008 [CLP] (An. I, 1.5.2)

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7440-66-6	zinc powder - zinc dust (stabilised)					
	Acute fish toxicity	LC50 0,238-0,56 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	SDB	
	Acute crustacea toxicity	EC50 0,28 mg/l	48 h	Daphnia magna (Big water flea)	SDB	

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

The study does not need to be conducted because the substance is inorganic.

12.4. Mobility in soil

The study does not need to be conducted because the substance is inorganic.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 9 of 11

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3077
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc powder - zinc dust (stabilised))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9
Classification code: M7
Special Provisions: 274 335 375 601
Limited quantity: 5 kg
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3077
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc powder - zinc dust (stabilised))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9
Classification code: M7
Special Provisions: 274 335 375 601
Limited quantity: 5 kg
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3077
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc powder - zinc dust (stabilised))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9
Special Provisions: 274, 335, 966, 967, 969
Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3077
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc powder - zinc dust (stabilised))

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 10 of 11

14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A179 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y956
Excepted quantity:	E1
IATA-packing instructions - Passenger:	956
IATA-max. quantity - Passenger:	400 kg
IATA-packing instructions - Cargo:	956
IATA-max. quantity - Cargo:	400 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	zinc powder - zinc dust (stabilised)

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 5,6,7,8,9,10,11,12,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 3

Revision date: 01.09.2023

Product code: NO3-R3-Test

Page 11 of 11

Key literature references and sources for data

Safety Data Sheet, ECHA

Relevant H and EUH statements (number and full text)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

**Safety Data Sheet**

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

sera NO3 Test, Reagenz 4

EAN

4001942040020
4001942040037
4001942040044
4001942045100
4001942045124
4001942077156

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solution for monitoring water parameters in aquarium and tap water.

The product is intended for consumer use.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name:	sera Werke Heimtierbedarf	
	J. Ravnak GmbH & Co. KG	
Street:	Borsigstraße 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

Supplier

Company name:	sera GmbH	
Street:	Borsigstr. 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax: +49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	

1.4. Emergency telephone number:

+49 (0)2452 91260 (Only available during office hours.)
+49 (0)2452 9126555

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 2 of 8

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH).

2.2. Label elements**Additional advice on labelling**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Aqueous solution with organic substances.

Hazardous components

none (according to UK REACH Regulation)

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Methaemoglobinaemia

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NOx), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 3 of 8

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Do not breathe vapour. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).
Clear contaminated areas thoroughly. Wash with plenty of water.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep out of reach of children.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Keep/Store only in original container. Protect from direct sunlight.
Do not store at temperatures below 10°C. Recommended storage temperature: at room temperature.

Hints on joint storage

No materials to be specially mentioned

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 4 of 8

Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

7.3. Specific end use(s)

Solution for monitoring water parameters in aquarium and tap water.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

When using do not eat, drink, smoke, sniff.

8.2. Exposure controls**Appropriate engineering controls**

No special technical protective measures are necessary.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Avoid contact with eyes. Suitable eye protection: goggles. not required under normal use.

Hand protection

Avoid contact with skin. Hand protection is not required.

Skin protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2 (according to DIN 3181, 1980).

Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NO_x), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO₂).

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	orange - red
Odour:	mild aromatic
Odour threshold:	not determined
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 25 °C):	8,0-9,0
Viscosity / kinematic:	not determined
Water solubility:	completely miscible

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 5 of 8

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

not determined

Vapour pressure:

23 hPa

(at 20 °C)

Density (at 20 °C):

1,00 g/cm³

Bulk density:

not applicable

Relative vapour density:

not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustaining combustion:

Not sustaining combustion

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

No data available

Solvent content:

1,13 %

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

Keep away from: Acid

10.6. Hazardous decomposition productsSulphur oxides, Nitrogen oxides (NO_x), Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO₂).

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 6 of 8

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards**Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information**12.1. Toxicity**

There are no data available on the preparation/mixture itself. According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment". Ecological injuries are not known or expected under normal use.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 7 of 8

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

161002 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; aqueous liquid wastes destined for off-site treatment; aqueous liquid wastes other than those mentioned in 16 10 01

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Safety Data Sheet

according to UK REACH Regulation

sera NO3 Test, Reagenz 4

Revision date: 06.09.2023

Product code: NO3-R4-Test

Page 8 of 8

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 0,35 % (3,5 g/l)
Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Key literature references and sources for data

Safety Data Sheet, ECHA

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP].
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)