

according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

sera Pond Phosphate Remover

EAN

4001942074612 4001942074629 4001942074636

UFI: AVE8-KRND-N6QQ-J00Y

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water treatment chemicals: Solution for adjustment of water parameters in the garden pond.

The product is intended for consumer use.

The product is intended for professional use.

### 1.3. Details of the supplier of the safety data sheet

Company name: sera Werke Heimtierbedarf

J. Ravnak GmbH & Co. KG

Street: Borsigstraße 49
Place: D-52525 Heinsberg

Post-office box: 1466

D-52518 Heinsberg

Telephone: +49 (0)2452 91260 Telefax: +49 (0)2452 5922

E-mail: info@sera.de

Contact person: Dr. Matthias Dahm

E-mail: sds.info@sera.biz

Internet: www.sera.de

Responsible Department: Labor

**1.4. Emergency telephone** +49 (0)2452 91260 (Only available during office hours.)

**number:** +49 (0)2452 9126555

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling

Lanthan(III) chloride solution

Signal word: Danger

Pictograms:







# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 2 of 11

#### **Hazard statements**

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves and eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

#### Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Chemical characterization

Product/Substance is inorganic. Dispersion in aqueous solution.

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
20211-76-1	Lanthan(III) chloride solution			10 - < 15 %
	233-237-5		01-2119452063-49	
	Met. Corr. 1, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H290 H318 H317 H411			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name			
	Specific Conc. Limits, M-factors and ATE				
20211-76-1	233-237-5 Lanthan(III) chloride solution		10 - < 15 %		
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 2621 mg/kg				

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Change contaminated, saturated clothing.

# After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 3 of 11

### After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. When in doubt or if symptoms are observed, get medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Hydrogen chloride (HCI).

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

# For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

### For containment

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

#### For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal.

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

Clear contaminated areas thoroughly. Clean contaminated articles and floor according to the environmental legislation.

## Other information

Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 4 of 11

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Keep out of the reach of children.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product.

Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme.

#### Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep locked up. Keep container tightly closed. Store in a place accessible by authorized persons only.

Keep/Store only in original container.

Recommended storage temperature: at room temperature.

### Hints on joint storage

No materials to be specially mentioned

## Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

# 7.3. Specific end use(s)

Solution for adjustment of water parameters in the garden pond.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
20211-76-1	Lanthan(III) chloride solution			
Worker DNEL, long-term		dermal	local	123 mg/person/day
Worker DNEL, long-term		inhalation	systemic	108,44 mg/m³
Worker DNEL, long-term		dermal	systemic	123 mg/kg bw/day

#### **PNEC** values

CAS No	Substance	
Environmenta	Environmental compartment	
20211-76-1	Lanthan(III) chloride solution	
Freshwater		0,0176 mg/l
Marine water		0,00176 mg/l
Freshwater sediment		23,27 mg/kg
Micro-organisms in sewage treatment plants (STP)		12,5 mg/l
Soil		5-50 ma/ka



according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 5 of 11

#### Additional advice on limit values

To date, no national critical limit values exist. When using do not eat, drink, smoke, sniff.

#### 8.2. Exposure controls

# Appropriate engineering controls

No special technical protective measures are necessary.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye protection/face protection. Suitable eye protection: goggles.

#### Hand protection

Avoid contact with skin. Wear suitable gloves.

Suitable material: NBR (Nitrile rubber)
Thickness of the glove material: 0,2-0,3 mm
Permeation time (maximum wear duration): > 8 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing. (long sleeved clothing).

Wash contaminated clothing prior to re-use.

## Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model B2 (according to DIN 3181, 1980).

#### Thermal hazards

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Hydrogen chloride (HCI).

# **Environmental exposure controls**

Avoid release to the environment. Observe instructions for use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: whitish cloudy
Odour: odourless
Odour threshold: not applicable

Melting point/freezing point: < 0 °C
Boiling point or initial boiling point and 100 °C

boiling range:

Flammability: Non-flammable. Lower explosion limits: not applicable Upper explosion limits: not applicable Flash point: > 100 °C Auto-ignition temperature: Non-flammable. Decomposition temperature: > 100 °C pH-Value (at 20 °C): 4.5-5.5 Viscosity / kinematic: not determined Water solubility: partially soluble



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 6 of 11

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not applicable Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,09 g/cm³
Relative density: not determined
Bulk density: not applicable
Relative vapour density: not determined
Particle characteristics: not applicable

## 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

No ignition, explosion, self-heating or visible decomposition.

The product is not: Explosive

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

# Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solvent content: not determined Solid content: not determined Sublimation point: not applicable not applicable Softening point: Pour point: not determined Viscosity / dynamic: not determined Flow time: not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Protect from direct sunlight.

## 10.5. Incompatible materials

none

## 10.6. Hazardous decomposition products

Hydrogen chloride (HCI).

Thermal decomposition can lead to the escape of irritating gases and vapours.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 7 of 11

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

This mixture does not contain further substances fullfilling the criteria of hazard class "acute toxicity" according to CLP regulation.

## **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
20211-76-1	Lanthan(III) chloride solution				
	oral	LD50 2621 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA	

### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Lanthan(III) chloride solution)

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Information on likely routes of exposure

Skin contact, Eye contact, Ingestion

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

# **Endocrine disrupting properties**

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.

Handle in accordance with good industrial hygiene and safety practice.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 8 of 11

Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3). Elimination from water is possible through precipitation or flocculation.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
20211-76-1	Lanthan(III) chloride solution						
	Acute algae toxicity	ErC50 mg/l	28,2	I . — · ·	Desmodesmus subspicatus		OECD 201
	Acute crustacea toxicity	EC50 mg/l	2,083	48 h	Daphnia carinata		OECD 202
	Fish toxicity	NOEC mg/l	0,46		Cyprinus carpio (Common Carp)		OECD 204
	Crustacea toxicity	NOEC mg/l	0,176		Daphnia magna (Big water flea)		OECD 202
	Acute bacteria toxicity	EC50	390 mg/l		Activated sludge		OECD 209

#### 12.2. Persistence and degradability

The product has not been tested. The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
20211-76-1	Lanthan(III) chloride solution	5,67-6,92

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
20211-76-1	Lanthan(III) chloride solution	<0,8		

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 9 of 11

### List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

161001 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; aqueous liquid wastes destined for off-site

treatment; aqueous liquid wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. If recycling is not practicable, dispose of in compliance with the European Communities (Toxic and Dangerous Waste) Regs 1982, SI 33 of 1982.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Lanthan(III) chloride solution)

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 Classification code: C9 **Special Provisions:** 274 Limited quantity: 5 L Transport category: 3 Hazard No: 80 Tunnel restriction code: F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Lanthan(III) chloride solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C9Special Provisions:274Limited quantity:5 L

## Other applicable information (inland waterways transport)

Excepted Quantities: E1

## Marine transport (IMDG)

14.1. UN number or ID number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Lanthan(III) chloride solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223, 274Limited quantity:5 LEmS:F-A, S-B

# Other applicable information (marine transport)

Excepted Quantities: E1

# Air transport (ICAO-TI/IATA-DGR)



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 10 of 11

**14.1. UN number or ID number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Lanthan(III) chloride solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 L

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

Other applicable information (air transport)

: Y841

Excepted Quantities: E1

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# sera Pond Phosphate Remover

Revision date: 21.11.2024 Product code: Phosphate\_Remover Page 11 of 11

### Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Eye Dam: Eye damage Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Key literature references and sources for data

Safety Data Sheet, ECHA

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Eye Dam. 1; H318	Calculation method	
Skin Sens. 1; H317	Calculation method	
Aquatic Chronic 3; H412	Calculation method	

## Relevant H and EUH statements (number and full text)

May be corrosive to metals.
May cause an allergic skin reaction.
Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)