

# according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

sera Reinigungslösung

# EAN

4001942089302

UFI:

### 6TUA-AH6A-0NCJ-R52V

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Cleaning agent, acidic The product is intended for consumer use. The product is intended for professional use.

# 1.3. Details of the supplier of the safety data sheet

Company name:	sera Werke Heimtierbedarf	
	J. Ravnak GmbH & Co. KG	
Street:	Borsigstraße 49	
Place:	D-52525 Heinsberg	
Post-office box:	1466	
	D-52518 Heinsberg	
Telephone:	+49 (0)2452 91260	Telefax:+49 (0)2452 5922
e-mail:	info@sera.de	
Contact person:	Dr. Matthias Dahm	
e-mail:	sds.info@sera.biz	
Internet:	www.sera.de	
Responsible Department:	Labor	
1.4. Emergency telephone	+49 (0)2452 91260 (Only availabl	e during office hours.)
<u>number:</u>	+49 (0)2452 9126555	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

- Regulation (EC) No 1272/2008
  - Signal word: Danger

Pictograms:



Hazard statements H290

May be corrosive to metals.



## according to Regulation (EC) No 1907/2006

	sera Reinigungslösung	
Revision date: 18.09.2023	Product code: Reinig.lsg	Page 2 of 10
H314	Causes severe skin burns and eye damage.	
Precautionary statemer	nts	
P102	Keep out of reach of children.	
P280	Wear protective gloves and eye/face protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P390	Absorb spillage to prevent material damage.	
P406	Store in a corrosion-resistant container with a resistant inner liner.	
Additional advice on la	belling	
The product is classi	fied and labelled according to EC directives or corresponding national laws.	
<u>2.3. Other hazards</u> No information availa	able.	

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Highly thinned solution of an inorganic acid with organic substances in aqueous solution.

#### Hazardous components

none (according to Regulation (EC) No 1907/2006 (REACH))

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

Change contaminated, saturated clothing.

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 3 of 10

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn. In case of fire may be liberated: Hydrogen chloride (HCI), Carbon monoxide, Carbon dioxide (CO2).

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

# Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6:** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Do not breathe vapour. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# For non-emergency personnel

First aider: Pay attention to self-protection! Remove persons to safety.

### For emergency responders

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

# For containment

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Contain leaks or spills within cabinets with removable trays.

#### For cleaning up

Large amounts of spillages: Use approved industrial vacuum cleaner for removal. Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly. Wash with plenty of water.

# Other information

Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 Neutralize with chalk, alkali solution or ammonia.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Keep out of the reach of children.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

# Further information on handling

Handle and open container with care. Put lids on containers immediately after use.

# 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 4 of 10

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Keep/Store only in original container. Protect from direct sunlight. Do not store at temperatures below 0°C. Recommended storage temperature: at room temperature

### Hints on joint storage

Do not mix with alkali.

### Further information on storage conditions

No special measures are necessary. The product is stable under storage at normal ambient temperatures.

#### 7.3. Specific end use(s)

Cleaning agent, acidic

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist. When using do not eat, drink, smoke, sniff.

### 8.2. Exposure controls

### Appropriate engineering controls

No special technical protective measures are necessary.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection. Suitable eye protection: goggles.

### Hand protection

Wear suitable gloves.

Suitable gloves type: acid-resistant

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,2-0,3 mm

Permeation time (maximum wear duration): 2 h

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing. Not required because of small size of the container

#### **Respiratory protection**

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection. In the case of vapour formation use a respirator with filter model E (according to DIN 3181, 1980).

#### **Thermal hazards**

Non-flammable. The product itself does not burn. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Hydrogen chloride (HCI), Carbon monoxide, Carbon dioxide (CO2).

#### **Environmental exposure controls**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless



# according to Regulation (EC) No 1907/2006

Revision date: 18.09.2023	sera Reinigun Product code:		Page 5 of 10
Odour:	odourless		
Odour threshold:	not determined		
Melting point/freezing point:		0 °C	
Boiling point or initial boiling point and		100 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		> 100 °C	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		1,0-1,5	
Viscosity / kinematic:		not determined	
-			
Water solubility:		completely miscible	
Solubility in other solvents			
not determined		not applicable	
Partition coefficient n-octanol/water: Vapour pressure:		not applicable 23 hPa	
(at 20 °C)		23 IIPa	
Density (at 20 °C):		1,00 g/cm <sup>3</sup>	
Relative density:		not determined	
Bulk density:		not applicable	
Relative vapour density:		not determined	
Particle characteristics:		not applicable	
9.2. Other information		not applicable	
Information with regard to physical haz	vard classes		
Explosive properties			
No ignition, explosion, self-heating or	visible decomposition.		
The product is not: Explosive			
Sustaining combustion:		Not sustaining combustion	
Self-ignition temperature		5	
Solid:		not applicable	
Gas:		not applicable	
Oxidizing properties			
Not oxidising.			
Other safety characteristics			
Evaporation rate:		not determined	
Solvent separation test:		No data available	
Solvent content:		not determined	
Solid content:		0,10 %	
Sublimation point:		not applicable	
Softening point:		not applicable	
Pour point:		not determined	
Viscosity / dynamic:		not determined	
Flow time:		not determined	
SECTION 10: Stability and reactivity			

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.



according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 6 of 10

# 10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidising agent.

# 10.4. Conditions to avoid

Protect from direct sunlight.

# 10.5. Incompatible materials

Keep away from: Base, Oxidising agent, Alkali metals, Light metals, Peroxides. May cause strong formation of hydrogen by contact with amphoteric metals (e.g. aluminia, lead, zinc) - danger of explosion.

#### 10.6. Hazardous decomposition products

Hydrogen chloride (HCl), Carbon monoxide, Carbon dioxide (CO2). Thermal decomposition can lead to the escape of irritating gases and vapours.

#### Further information

Corrosive to metals

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data) Causes serious eye damage. (On basis of test data) Ingestion may cause irritation to mucous membranes.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Information on likely routes of exposure

Skin contact, Eye contact, Ingestion, Inhalation

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **Practical experience**

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

## Other information

There are no data available on the preparation/mixture itself.



according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 7 of 10

# **Further information**

Handle in accordance with good industrial hygiene and safety practice. Health injuries are not known or expected under normal use.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Suitable material for diluting or neutralizing: Neutralize with chalk, alkali solution or ammonia. After

neutralisation, toxicity is no longer observed. Ecological injuries are not known or expected under normal use.

# 12.2. Persistence and degradability

The product has not been tested. The organic part of the product is biodegradable.

# 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

# Further information

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. Suitable material for diluting or neutralizing: Neutralize with chalk, alkali solution or ammonia.

### List of Wastes Code - residues/unused products

161003 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; aqueous liquid wastes destined for off-site treatment; aqueous concentrates containing hazardous substances; hazardous waste

# List of Wastes Code - used product

161003 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; aqueous liquid wastes destined for off-site treatment; aqueous concentrates containing hazardous substances; hazardous waste

## List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)



# according to Regulation (EC) No 1907/2006

Revision date: 18.09.2023	sera Reinigungslösung Product code: Reinig.lsg	Page 8 of 10
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)	101.000	
14.1. UN number or ID number:		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity: Excepted quantity:	5 L E1	
Marine transport (IMDG)	1010004	
14.1. UN number or ID number:		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8 223 274	
Special Provisions: Limited quantity:	223 274 5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Segregation group:	1 - acids	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No information available. 14.7. Maritime transport in bulk according t	in INO in structure atta	



according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 9 of 10

not applicable

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

## Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### National regulatory information

Water hazard class (D):

- - non-hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 15.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Key literature references and sources for data

Safety Data Sheet, ECHA

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

### **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The



according to Regulation (EC) No 1907/2006

# sera Reinigungslösung

Revision date: 18.09.2023

Product code: Reinig.lsg

Page 10 of 10

receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)